


**A SUPER STRONG
PARTNER THAT
REACHES GOALS
FASTER.**

D-MAX
SUPER STRONG



ISUZU



**THE WORLD'S
BUSINESS**

PICKUP

Never Stop.



1922

WOLSELEY MODEL A-9

100

**YEARS OLD BUT STILL
MAKING HISTORY.**



1961

ELFINE



1963

WASP



1972

KB/FASTER



1979

FASTER-RODEO 4WD



2002

ISUZU D-MAX



2016

ISUZU D-MAX LAUNCHED
(MADE IN INDIA)

2020

BS6 FACELIFT
LAUNCH



2023

BS6

STAGE 2



SUPER STRONG PERFORMANCE TO MAXIMISE YOUR POTENTIAL.



BS6
STAGE 2

**Cleaner, greener,
powerful & proven engine
with VGS technology**
For unbeatable
performance.



Low 6.3 m turning radius
For precise and smooth
drivability.



**Refined 5-speed
gearbox with overdrive**
For smoother and more
efficient drivability and
transmission longevity.



Large wheels (40.64 cms.)
For optimum traction and
load-bearing.



LIVES SUPER LONG, SUPER STRONG.



High tensile steel body
Provides superior strength and ruggedness for the long run.



Protective all-round electro-deposition coating
Prevents rusting and leads to a long-lasting life.



iGRIP Platform
Modern, new generation platform for higher performance.



Graphite coated pistons
Leads to longer engine life by preventing wear and tear during cold starts.



Stronger suspension*
To provide optimum load carrying capability.




Tested for over 40 LAKH km*
Making the D-Max Super Strong an extremely reliable product.

*Image shown is for representation purpose only. #40 LAKH km is the sum of distance covered under various test conditions in multiple vehicles.




THE CONFIDENCE OF SUPER STRONG SAFETY.



Collapsible chassis with crumple zones
Provides more safety to occupants during front and rear collisions.




Efficient braking system
26.6 cm brake boosters, ventilated disc and twin pot calipers.




Cross-car front beam and side-door intrusion beams
Provides added safety from front and side impacts.



Underbody protection kit
Steel skid plate and engine bottom guard to safeguard the key vehicle aggregates.



Collapsible steering column
Additional safety for the driver in the event of a frontal collision.



LSPV (Load Sensing Proportioning Valve)
Intelligent braking system that corresponds to the load and reacts accordingly preventing wheel skidding.

SUPER COMFORTABLE LIKE AN SUV, SUPER STRONG LIKE A TRUCK.



Fabric seat covers
When style meets
comfort.



Quiet and spacious cabin
Well insulated cabin with superior
space that provides best-in-class
cabin comfort.



Car-like interiors
High quality and
durable fitments
with excellent finish.



Multiple storage spaces
More space while
on the go.



**AC* with blower,
heater, dust and
pollen filter**
Maximum comfort for
all occupants.



Ergonomic cabin controls
For easy access
to all controls.

*AC variants



SUPER STRONG PERFORMANCE IN ALL CONDITIONS.




Multi-Information Display (MID)

Advanced MID gives driver information about vehicle performance parameters. Odo meter, Speedometer, digital speed read out, instant mileage and average mileage, ambient temperature, elapsed time, current fuel range, DPD level indicator, AdBlue level indicator. Car like electroluminescent Instrument cluster



High contrast and stylish instrument cluster

Modern instrument cluster providing optimum visibility during day and night.



Brake Override System

An intelligent system that reacts to panic braking of the vehicle, even when the accelerator is pressed with the brakes.



Rear parking sensor

Maximum ease of parking.



Co-passenger sliding seat

Better comfort and ease for the co-passenger in the front seat.



High mount stop lamp

Provides extra precaution for the vehicle approaching from the rear.



Variable speed Intermittent Wipers

Interval between wiper sweeps can be adjusted within a range of approximately 1.5 to 15 seconds. Better visibility during driving in rainy conditions. Enhanced safety




D-MAX SPECIFICATIONS AND FEATURES

Model	D-MAX SUPER STRONG		D-MAX	
Cab Type	Regular		Regular	
Deck Type	Flat Deck	Cab Chassis	Flat Deck	Cab Chassis
Engine				
Type	4 Cylinder, Common Rail, VGT Intercooled Diesel			
Cubic Capacity	2499 cc			
Engine Max Power	58 kW/78 hp @ 398 rad/s (3800 rpm)			
Engine Max Torque	176 Nm @ 157 - 251 rad/s (1500-2400 rpm)			
Emission level	Bharat Stage 6 Stage 2			
Transmission				
No. of speeds	5 Speed			
Shift type	Manual			
Suspension				
Front	Double Wishbone, with Coil Springs & stabilizer			
Rear	Semi-Elliptic Leaf Spring			
Wheel				
Wheel Rim Size	16 x 6.5J-33			
Tyre Size	215/75R 16 LT		205R16C	
Tyre Type	Radial			
Brake and Steering				
Brake Type	Hydraulic Brake with large Booster (26.67 cm) and LSPV			
Front Brake	Ventilated Disc with Twin Pot Caliper			
Rear Brake	Drum			
Steering Type	Hydraulic Power Assist with Tilt Adjustment			
Dimensions				
Overall Vehicle (LxWxH)	5375 mm x 1860 mm x 1830 mm	5045 mm x 1860 mm x 1800 mm	5375 mm x 1860 mm x 1800 mm	5045 mm x 1860 mm x 1790 mm
Wheelbase	3095 mm			
Cargo Deck Inner (LxWxH)	2440 mm x 1725 mm x 510 mm	-	2440 mm x 1725 mm x 510 mm	-
Turning Circle Radius	6.3 m			
Capacity				
Fuel tank	55 litre			
DEF Tank	14.7 litre			
Seating Capacity	D+1			
Weight				
Payload	1650 kg	-	1180 kg	-
GVW	3490 kg		2990 kg	
Kerb Weight	1840 kg	1640 kg	1810 kg	1610 kg

COMFORT / CONVENIENCE
Power Steering with Tilt Adjustment
Blower with heater
Air Conditioner (Optional)
Dust & Pollen Filter
Seat-belt Height Adjuster
Inner & Outer Dash Noise Insulation
Fabric seats and Moulded Roof Lining
Clutch Footrest
Advanced Electroluminescent Multi Information Display console
ORVMs with Adjustment Retention
Roof Assist grip for Co-driver
Co-driver seat sliding
Vinyl Floor Cover
Sun Visor for Driver and Co-driver
Gear Shift Indicator
Large A-Pillar assist grips
UTILITY
Multiple Storage Compartments
Retractable Cup and Coin holders on Dashboard
Door Trims with Bottle Holder and Pocket
Twin Glove Box
2 Speakers with pre-wiring (AC variant only)
SAFETY / SECURITY
Hydraulic Brake with large booster (26.67 cm) and LSPV
Ventilated Front Disc Brake with Twin Pot Caliper
Brake Override System
Variable Intermittent Windshield Wiper
Chassis & Cabin with Crumple Zones
Cross Car Front Beam
Door Side Intrusion Beams
Steel Skid Plate and Engine Bottom guard
Collapsible Steering Column
Rear Parking Assist System
Warning Lights & Buzzers
ELR Seat Belts
Large Tyres (40.64 cms.)

*AC Variants only



For more information, visit us at: www.isuzu.in

f ISUZU Motors India | YouTube IsuzuMotorsIndia

isuzumotorsindia | @isuzuIndia

Disclaimer: The ISUZU D-Max vehicle can only be registered as 'Commercial Vehicle' in India and can only be driven by person/s holding a valid 'Light Commercial Vehicle' license or such other as may be prescribed under the relevant norms prevalent under different states in India in line with the Motor Act 1988 and Central Motor Vehicle Rules, 1989 as amended from time to time. The information provided in this brochure should be viewed as accurate at the time of going to print. Images shown are only for representation purpose. The illustrations/images may show optional equipment and accessories which are not part of the standard package. The product specifications/variants/colours shown in the brochure are subject to change without notice and the manufacture reserves the right to change/modify elements of vehicle specifications and equipment/accessories. Actual vehicle colours in the brochure may vary from those shown owing to limitations in printing. Model series ISUZU D-MAX comply to Bharat Stage 6 Stage 2 norms. Date of going to print – 07th April, 2023



Galena Gray Met



Titanium Silver Met



Splash White

PICK FROM **THE BEST.**



ISUZU MOTORS INDIA PRIVATE LIMITED

9th Floor, Prestige Centre Court - Office Block,
Nexus Vijaya Mall, No. 183, N. S. K Salai,
Vadapalani, Chennai - 600 026, Tamil Nadu, India.
Toll Free No.: 1800 4199 188

ISUZU
NEVER STOP